	Туре	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	150	chimney and fan and alarm	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN	2004/11/15 09:54
2	BRS	L2	118	chimney and fan and alarm and @pd<"20011222"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN	2004/11/15 10:34
3	BRS	L3	2	("5555876").URPN.	USPAT	2004/11/15 10:13
4	BRS	L4	6	("3580238" "4204832" "4250868" "4273097" "4487137" "4649808") PN	1	2004/11/15 10:30
5	IS&R	L5	3	(("4902851") or ("4870909") or ("5513979")).PN.	11 I S D A I	2004/11/15 10:30
6	BRS	L6	4	("5513979").URPN.		2004/11/15 10:30
7	BRS	L7	1	("4348169").PN.		2004/11/15 10:32

	Type	L #	Hits	Search Text	DBs	Time Stamp
8	BRS	L8	1626	motor and voltage and alarm and winding and capacitor and @pd<"20011222"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN	2004/11/15 10:40
9	BRS	L9	3	8 and 2		2004/11/15 10:34
10	BRS	L10	137	motor and voltage and alarm and winding and capacitor and fan and speed and @pd<"20011222"	USOCR;	2004/11/15 10:41
11	BRS	L11	73	motor and voltage and alarm and winding and capacitor and fan and speed and @pd<"20011222" and shaft and (blocked or stoppage or	USPAT; USOCR; EPO;	2004/11/15 10:41
12	BRS	L12	4	("5568691").URPN.		2004/11/15 10:47

	Туре	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	1	("5351417").PN.	US- PGPUB; USPAT; USOCR	2004/11/15 10:49
14	ĖRS	L14	0	asyncrhonous adj motor and voltage and (measure\$ or sensing or sensor or sense) and alarm and shaft and speed and rotation	US- PGPUB; USPAT; USOCR	2004/11/15 10:51
15	BRS	L15	0	asyncrhonous adj motor and voltage and (measure\$ or sensing or sensor or sense) and alarm and shaft and speed and rotation and @pd<"200112222"	US- PGPUB; USPAT; USOCR	2004/11/15 10:50
16	BRS	L16	0	asyncrhonous adj motor and voltage and (measure\$ or sensing or sensor or sense) and alarm and @pd<"200112222"	US- PGPUB; USPAT; USOCR	2004/11/15 10:51
17	BRS	L17	18	asynchronous adj motor and voltage and (measure\$ or sensing or sensor or sense) and alarm and @pd<"200112222"	US- PGPUB; USPAT; USOCR	2004/11/15 10:51
18	BRS	L19	18	asynchronous adj motor and voltage and (measure\$ or sensing or sensor or sense) and alarm and @pd<"200112222"		2004/11/15 10:51
19	BRS	L18	5	asynchronous adj motor and voltage and (measure\$ or sensing or sensor or sense) and alarm and shaft and speed and rotation		2004/11/15 10:51



Print | Hjem | On Produkter | Systemløsninger | Nyheder | Kontakter | Downloads | Links | Institute |

Om os

- > Historie
- > EXHAUSTOs forretningskoncept
- > Markedet
- > Værdier
- > Jobs
- > Juridiske forhold

150 lejligheder med effektiv ventilation og on-line overvågning!

Boligforeningen Østerbo i Vejle havde brug for ventilation med varmegenvinding og overvågning og styring over internettet. Det fik de. Mere >>




Nyheder:

05.10.04 **EXHAUSTO** boligventilation guide til det sik EBV2001 - centr udsugning med I luftmæng...

Følg forskningen indenfor indeklima på allernærmeste hold.

Nyt aggregat fra EXHAUSTO - VEX170




- Luftmængde nu op til 7.700 m3/h
- Lavt lydniveau
- Lavt energiforbrug
- Pladsbesparende
- Studsplacering efter ønske
- Som standard med eller uden integreret automatik Mere>>

Ventilation

EXHAUSTOs produktprogram har en fællesnævner; optimal energiudnyttelse.

Det gælder også for alle produkter og systemløsninger, at de er veldokumenterede. Desuden tilbyder vi med direkte adgang fra vores hjemmeside et produktvalgsprogram. Mere>>



Produktval

Xelect - et professionelt værktøj for projektering af ventilationsprodu

Boligejer?



el br La fo at re

Røgsugning

EXHAUSTO producerer og markedsfører komplette røgsugersystemer.

Systemerne består af røgsugere med tilhørende automatik, og sikrer effektivt træk i skorstenen, så hele varmeanlægget fungerer optimalt. Mere>>

EXHAUSTO A/S • Odensevej 76 • DK-5550 Langeskov • Tel.: +45 65 66 12 34

Skriv til: webmaster@



Products | News | Contacts |

Print | Home | About u:

About us

- > History
- > EXHAUSTO business concept
- > Market
- > Values
- > Legal issues



Click here for direct access to the website of EXHAUSTO Inc., USA


Protym Air Systems new Polish distributor

As per 1.7. 2004 EXHAUSTO A/S has entered into corporation with <u>Protym Air Systems</u>, Poznan, one of the leading polish suppliers of heat pumps to industrial and commercial installations.

After successfully having introduced the Florida Heat Pump system in Poland and having worked on such large scale projects as Galeria Mokotow, Warsaw, CiK Stary Browar, Poznañ, CH. Sadyba – Warsaw, Hotel Mercury, Poznañ and Galeria Kazimerz, Krakow - Protym Air Systems is proud to present the EXHAUSTO units to the Polish market as a perfect supplement to the heat pump systems.

More >>

New air handling unit: VEX170



- Capacity up till 7700 m3/h
- Lowest possible noise level
- Low energy consumption
- Compact unit
- Spigot placement according to your choice
- With integrated controller

More >>

News:

14.04.04 Construma exh Grand Prize to 1 EAS system Proschorn - EXH Hungarian partn

House own




Product se


Xelect – a modern tool for the calculation of duty, sound level, and economy.

Ventilation

EXHAUSTO's product range is developed to achieve optimum energy efficiency and to be of very high quality.

All products and systems include comprehensive documentation. More>>





Chimney Fans

EXHAUSTO manufactures and markets complete chimney fan systems.

The systems consist of a chimney fan with an automatic controller which guarantees the optimum chimney draught irrespective of the position, dimensions or height of the chimney. More>>

EXHAUSTO A/S > Odensevej 76 > DK-5550 Langeskov > Tel.: +45 65 66 12 34

Write to: webmaster@



Products | News | Contacts |

Print | Home | About us

« Products

Chimney Fans

- Chimney fan with vertical discharge
- Chimney fan with vertical discharge for gas
- Chimney fan with horizontal discharge

Chimney Draught Technology

EXHAUSTO manufactures and markets complete chimney fans systems. The systems consist of chimney fans with automatic controls which guarantee optimum chimney draught irrespective of the placing, dimensions or height of the chimney. Our product range can solve any type of chimney draught problem, and among others we deliver systems to the following:



- Fireplaces and stoves
- Single boilers and water heaters burning gas, oil or solid fuel
- Multiple appliances where several boilers are connected to the same chimney

The chimney fans offer capacities which will cover any heating appliance from small domestic fireplaces in private homes to larger commercial/ industrial boiler installations. System solutions for gas appliances have built-in failsafe operation developed to meet international standards

EXHAUSTO A/S · Odensevej 76 · DK-5550 Langeskov · Tel.; +45 65 66 12 34

Write to: webmaster@